

SCREEN PRINT TRANSFERS

ULTRA INKTM	300°F 10-12 Seconds Firm Pressure Peel Warm	Cotton, Polyester, Cotton-Poly Blends, Dri-fit, Tri-blends, Nylon, Spandex
EASY INKTM	275-300°F 10-15 Seconds Firm Pressure Peel Hot	Cotton, Polyester, Cotton-Poly Blends, Dri-fit, Tri-blends, Nylon, Spandex
FASHION INK	325°F 5-8 Seconds Medium Pressure Peel Warm	Cotton, Polyester, Cotton-Poly Blends, Dri-fit, Tri-blends, Nylon, Spandex
REFLECTIVE INK	285-320°F 10-15 Seconds Medium Pressure Peel Cold	Cotton, Polyester, Cotton-Poly Blends
SCREEN PRINT NUMBERS	275-300°F 10-15 Seconds Firm Pressure Peel Hot	Cotton, Polyester, Cotton-Poly Blends, Dri-fit, Tri-blends, Nylon, Spandex

DIGITAL PRINT TRANSFERS

HOT PRINTZ Direct to Film	300°F 15 Seconds Medium Pressure Peel Hot	Cotton, Polyester, Cotton-Poly Blends, Tri-blends
FLEXI- PRINT	320°F 20 Seconds Medium Pressure Peel Hot	Cotton, Polyester, Cotton-Poly Blends, Dri-fit, Tri-blends, Spandex
DURA-PRINT	239°F 10-15 Seconds Light Pressure Peel Hot	Nylon, Lightly Coated Textiles
SUBLI-PRINT	311°F 10-15 Seconds Medium Pressure Peel Hot	Polyester, Sublimated Fabrics

VINYL TRANSFERS

CLASSIC	305°F 10-15 Seconds Medium Pressure Peel Hot	Cotton, Polyester, Cotton-Poly Blends, Dri-fit, Tri-blends, Leather
STRETCH	305°F 10-15 Seconds Medium Pressure Peel Hot	Cotton, Polyester, Cotton-Poly Blends, Dri-fit, Tri-blends, Leather, Spandex
NYLON	320°F 10 Seconds Light Pressure Peel Hot	Nylon, Lightly Coated Textiles
REFLECTIVE	325-350°F 10-20 Seconds Firm Pressure Peel Cold	Cotton, Polyester, Cotton-Poly Blends, Tri-blends
SUB BLOCK	365°F 15 Seconds Firm Pressure Peel Cold	Polyester, Sublimated Fabrics
METALLIC	340°F 20 Seconds Medium Pressure Peel Cold	Cotton, Polyester, Cotton-Poly Blends, Tri-blends
ELECTRIC	305°F 15 Seconds Medium Pressure Peel Hot	Cotton, Polyester, Cotton-Poly Blends, Tri-blends
FLOCK	320°F 10-15 Seconds Medium Pressure Peel Cold	Cotton, Polyester, Cotton-Poly Blends, Tri-blends
HOLOGRAPHIC	320°F 10-15 Seconds Firm Pressure Peel Cold	Cotton, Polyester, Cotton-Poly Blends, Tri-blends
SUPER GLITTER	320°F 10-15 Seconds Firm Pressure Peel Hot	Cotton, Polyester, Cotton-Poly Blends, Dri-fit, Tri-blends, Leather
GLOW IN THE DARK	305°F 10-15 Seconds Medium Pressure Peel Hot	Cotton, Polyester, Cotton-Poly Blends, Tri-blends

MISC. TRANSFERS

FAUX LEATHER PATCHES	270°F 10-12 Seconds Medium Pressure <i>*Remove paper backing before pressing.</i>	Cotton, Polyester, Cotton-Poly Blends, Fleece, Acrylics
APPLIQUE	330°F 15 Seconds Firm Pressure <i>*Remove mylar backing before pressing.</i>	Cotton, Polyester, Cotton-Poly Blends, Fleece, Acrylics
SUBLIMATED APPLIQUE	330°F 15 Seconds Firm Pressure	Cotton, Polyester, Cotton-Poly Blends, Fleece, Acrylics
RHINESTONES	330°F 15 Seconds Medium Pressure Peel Warm	Cotton, Polyester, Cotton-Poly Blends, Tri-blends
SPANGLES	288°F 12 Seconds Firm Pressure Peel Warm	Cotton, Polyester, Cotton-Poly Blends, Tri-blends, Canvas, Leather, Lightly Siliconed Nylons

We recommend testing on any unfamiliar products. The application instructions should only be used as a guideline.